Construction of a conceptual framework for assessment of health-related quality of life in calves with respiratory disease

E.M. Bull, D.J. Bartram, B. Cock, I. Odeyemi, D.C.J. Main

Animal journal

SupplementaryTable S1 Behaviour questions and number of calves (n = 13) observed showing these behaviours in the 5 days preceding veterinary treatment for respiratory disease.

Behaviour	С	Days to treatment					
	-5	-4	-3	-2	-1		
	N	Number of calves					
Theme 1: How the calf looks							
Does it have drooping of the ears?	0	4	8	10	11		
Does it have drooping of the head?	0	0	2	4	8		
Theme 2: How the calf reacts							
To feed							
Does the calf stay at the back of the pen when others come to feed?	0	3	6	6	8		
To humans							
Does the calf stay at the back of the pen when others come forward (no feed)	0	3	6	8	9		
Does the calf avoid eye contact with humans?	0	2	4	9	11		
Does the calf seem uninterested by novel objects in pen (human)?	0	6	8	9	10		
Is the calf reluctant to move when approached?	0	2	4	8	9		
To other calves							
Does the calf avoid competition at feed?	0	3	5	12	12		
Does the calf withdraw from playing with other calves?	0	3	7	9	10		
Is the calf involved in grooming activities?	0	0	1	2	3		
Does the calf isolate itself from others?	0	4	5	7	8		
Theme 3: How the calf carries out normal activities							
Eating/ drinking							
Does the calf drink less milk?	0	3	7	11	11		
Does the calf eat less concentrate?	0	4	9	9	11		
Does the calf have reduced drinking speed?	0	6	8	11	11		
Does the calf play with the teat?	0	5	7	8	8		
Activity							
Does the calf show less activity than other calves?	0	6	10	11	11		
Does the calf lie down more than other calves?	0	3	3	5	8		
Does the calf stand inactive?	0	0	3	4	5		

Supplementary Table S2 The number of calves (n = 13) showing clinical respiratory scoring system (CRS) signs in the 5 days preceding veterinary treatment for respiratory disease.

CRS	Days to treatment						
	-5	-4	-3	-2	-1		
	Number of calves						
Cough							
0 - None	12	11	5	3	3		
1 - Induced single cough	1	2	7	6	5		
2 - Induced repeated coughs or occasional spontaneous cough	0	0	1	4	5		
3 - Repeated spontaneous coughs	0	0	0	0	0		
Nasal discharge							
0 - Normal serous discharge	13	12	9	9	8		
1 - Small amount of unilateral cloudy discharge	0	1	4	4	5		
2 - Bilateral cloudy or excessive mucus discharge	0	0	0	0	0		
3 - Copious bilateral mucopurulent discharge	0	0	0	0	0		
Eyes							
0 - Normal	13	12	11	8	8		
1 - Small amount of ocular discharge	0	1	2	5	5		
2 - Moderate amount of bilateral discharge	0	0	0	0	0		
3 - Heavy ocular discharge	0	0	0	0	0		
Ears							
0 - Normal	13	13	9	4	4		
1 - Ear flick or head shake	0	0	4	8	5		
2 - Slight unilateral droop	0	0	0	1	4		
3 - Head tilt or bilateral droop	0	0	0	0	0		

CRS is based on the Wisconsin calf clinical respiratory scoring system (McGuirk and Peek, 2014)